Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2019 Version number 29 Revision: 26.04.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: DURAPIPE AIRLINE EXTRA BOT 500ML*12 L202
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Bison International

Dr.A.F.Philipsstraat 9

NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

- · Further information obtainable from: Bison QESH
- · 1.4 Emergency telephone number: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

butanone acetone

(Contd. on page 2)

- GB-EN

Printing date 24.05.2019 Version number 29 Revision: 26.04.2019

Trade name: DURAPIPE AIRLINE EXTRA BOT 500ML*12 L202

(Contd. of page 1)

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 Avoid breathing vapours.

P370+P378 In case of fire: Use to extinguish: Water haze, Alcohol resistant foam, Fire-

extinguishing powder, Carbon dioxide.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with national regulations.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

· Labelling of packages where the contents do not exceed 125 ml

· Hazard pictograms





GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labelling:

butanone

acetone

· Hazard statements

H336 May cause drowsiness or dizziness.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing vapours.

P501 Dispose of contents/container in accordance with national regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- Description:

Mixture of substances listed below with nonhazardous additions.

Adhesive

(Contd. on page 3)

GB-EN

Printing date 24.05.2019 Version number 29 Revision: 26.04.2019

Trade name: DURAPIPE AIRLINE EXTRA BOT 500ML*12 L202

(Contd. of page 2)

	(1 /
· Dangerous components:		
CAS: 78-93-3	butanone	50-100%
EINECS: 201-159-0	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	1
CAS: 67-64-1	acetone	2.5-10%
EINECS: 200-662-2	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	1
· Additional information: For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · **After swallowing:** If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Water haze

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- **Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

(Contd. on page 4)

-GB-EN

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2019 Version number 29 Revision: 26.04.2019

Trade name: DURAPIPE AIRLINE EXTRA BOT 500ML*12 L202

(Contd. of page 3)

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

Oral

- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Consumer, oral, longterm exposition

· Additional information about design of technical facilities: No further data; see item 7.

Ingredien	ts with limit values that require monitorii	ng at the workplace:	
78-93-3 b	utanone		
Lon	rt-term value: 899 mg/m³, 300 ppm g-term value: 600 mg/m³, 200 ppm BMGV		
67-64-1 a	cetone		
	Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm		
DNELs			
78-93-3 b	utanone		
Oral	Consumer, oral, longterm exposition	31 mg/kg bw/day	
Dermal	Consumer, dermal, longterm exposition	412 mg/kg bw/day	
	Consumer, inhalation, longterm exposition	106 mg/m³	

62 mg/kg bw/day

(Contd. on page 5)

Printing date 24.05.2019 Version number 29 Revision: 26.04.2019

Trade name: DURAPIPE AIRLINE EXTRA BOT 500ML*12 L202

			(Contd. of page 4)	
Derm	Dermal Consumer, dermal, longterm exposition		62 mg/kg bw/day	
Inhala	Inhalative Consumer, inhalation, longterm exposition 200 mg/m³			
· PNEC	Cs			
78-93	3-3 buta	anone		
Fresh	water	55.8 mg/l		
Marin	e wate	r 55.8 mg/l		
Soil	Soil 22.5 mg/kg			
67-64	67-64-1 acetone			
Fresh	Fresh water 10.6 mg/l			
Marine water 1.06 mg/l				
Soil 29.5 mg/kg				
· Ingre	· Ingredients with biological limit values:			
78-93	78-93-3 butanone			
BMG\	BMGV 70 µmol/L			
	Medium: urine			
	Sampling time: post shift			
	Parameter: butan-2-one			

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Recommended filter device for short term use:

Filter AX

Filter A

· Protection of hands:

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Butyl rubber, BR

Recommended thickness of the material: > 0,7 mm

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 120 minutes (Permeation according to EN 374 Part 3: Level 4).

(Contd. on page 6)

GB-EN

Printing date 24.05.2019 Version number 29 Revision: 26.04.2019

Trade name: DURAPIPE AIRLINE EXTRA BOT 500ML*12 L202

(Contd. of page 5)

· Eye protection:



Tightly sealed goggles

Goggles recommended during refilling

Body protection: Solvent resistant protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Colour: According to product specification

Odour: CharacteristicOdour threshold: Not determined.pH-value: Not determined.

· Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 55.8-56.6 °C

· Flash point: -18 °C

· Flammability (solid, gas): Not applicable.

· Ignition temperature: 465 °C

• Decomposition temperature: Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Explosion limits:

Lower: 1.8 Vol % **Upper:** 11.5 Vol %

· Vapour pressure at 20 °C: 105 hPa

Density at 20 °C: 0.881-0.884 g/cm³
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.

(Contd. on page 7)

Version number 29 Revision: 26.04.2019 Printing date 24.05.2019

Trade name: DURAPIPE AIRLINE EXTRA BOT 500ML*12 L202

	· · · · · · · · · · · · · · · · · · ·
Kinematic:	Not determined.
· Solvent content: Organic solvents:	74.8 %
Solids content: · 9.2 Other information	25.3 % All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

٠L	D/LC50	values	relevant for	classification:
----	---------------	--------	--------------	-----------------

78-93-3 butanone Oral LD50 3300 mg/kg (rat) Dermal LD50 5000 mg/kg (rabbit) 67-64-1 acetone LD50 5800 mg/kg (rat) Oral Dermal LD50 20000 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Not applicable.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2019 Version number 29 Revision: 26.04.2019

Trade name: DURAPIPE AIRLINE EXTRA BOT 500ML*12 L202

(Contd. of page 7)

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR/ADN, IMDG, IATA UN1133

· 14.2 UN proper shipping name

· ADR/ADN 1133 ADHESIVES, special provision 640D

· IMDG, IATA ADHESIVES

· 14.3 Transport hazard class(es)

· ADR/ADN



Class 3 (F1) Flammable liquids.

(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2019 Version number 29 Revision: 26.04.2019

Trade name: DURAPIPE AIRLINE EXTRA BOT 500ML*12 L202

Class 3 Flammable liquids. 14.4 Packing group ADR/ADN, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Danger code (Kemler): 33 EMS Number: F-E,S-D Stowage Category B 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m 1Transport category 2 Tunnel restriction code D/E IMDG Limited quantities (LQ) 5L Excepted quantities (LQ) 5L Excepted quantities (LQ) 5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m 1Transport category 2 Tunnel restriction code D/E IMDG Limited quantities (LQ) 5L Excepted quantities (LQ) 5L Except	Labal	(Contd. of page
Class Label 3 14.4 Packing group ADR/ADN, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Danger code (Kemler): 33 EMS Number: F-E,S-D Stowage Category B 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m 2 IMDG Limited quantities (LQ) 5L Excepted quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Implication D/E IMDG Limited quantities (LQ) SL Excepted quantities (LQ) Excepted Q	Label	3
Label 3 14.4 Packing group ADR/ADN, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Danger code (Kemler): 33 EMS Number: F-E,S-D Stowage Category B 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) 5L Excepted quantities (EQ) 5L Transport category 2 Tunnel restriction code D/E IMDG Limited quantities (LQ) 5L Excepted	IMDG, IATA	
Label 3 14.4 Packing group ADR/ADN, IMDG, IATA II 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Danger code (Kemler): 33 EMS Number: F-E,S-D Stowage Category B 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) 5L Excepted quantities (EQ) 5L Transport category 2 Tunnel restriction code D/E IMDG Limited quantities (LQ) 5L Excepted quantities (LQ) 5L Excepted quantities (LQ) 5L Excepted quantities (LQ) 5L IMDG Limited quantities (LQ) 5L Excepted quantities (LQ) 5L IMDG Limited quantities (LQ) 5L Excepted quantities (LQ) 5L IMDG Limited quantities (LQ) 5L Excepted Quantities (LQ) 5L Ex		
14.4 Packing group ADR/ADN, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Danger code (Kemler): EMS Number: Stowage Category B 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) UCde: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Maximum net quantity per inner packaging: 500 ml Maximum net quantity per outer packaging: 50	Class	3 Flammable liquids.
ADR/ADN, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Danger code (Kemler): Stowage Category 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Imited quantities (LQ) Excepted quantities (LQ) Exc	Label	3
Marine pollutant: 14.6 Special precautions for user Danger code (Kemler): EMS Number: Stowage Category B 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) IMDG Limited quantities (LQ) Excepted q		II
Danger code (Kemler): EMS Number: Stowage Category B 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ		No
EMS Number: Stowage Category 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Imited quantities (LQ) Imited quantities (LQ) Excepted quantities (LQ) Imited quantities (LQ) Excepted		Warning: Flammable liquids.
Stowage Category 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) IMDG Limited quantities (LQ) Excepted qu		
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepte		•
of Marpol and the IBC Code Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) IMDG Limited quantities (LQ) Excepted quantities (EQ) Tunnel restriction code O/E IMDG Limited quantities (LQ) Excepted quantities (EQ) Tunder certain conditions substances in Class (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2 UN "Model Regulation": UN 1133 ADHESIVES, SPECIAL PROVISION	Stowage Category	В
Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L ADR/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Excepted quantities (EQ) Remarks: On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum ne		
Limited quantities (LQ) Excepted quantities (EQ) Tode: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Excepted quantities (EQ) Remarks: Under certain conditions substances in Class: (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2	Transport/Additional information: Quantity limitations	
Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Remarks: Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m Under certain conditions substances in Class in Cl	· ADR/ADN · Limited quantities (LQ) · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (EQ) Remarks: Under certain conditions substances in Class of (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2	. Transport actorion	. , ,
IMDG Limited quantities (LQ) Excepted quantities (EQ) Remarks: Under certain conditions substances in Class of (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2 UN "Model Regulation": UN 1133 ADHESIVES, SPECIAL PROVISION		
Limited quantities (LQ) Excepted quantities (EQ) Remarks: Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m Under certain conditions substances in Class of (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2 UN "Model Regulation": UN 1133 ADHESIVES, SPECIAL PROVISION		
Under certain conditions substances in Class : (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2 UN "Model Regulation": UN 1133 ADHESIVES, SPECIAL PROVISION	Limited quantities (LQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	· Remarks:	Under certain conditions substances in Class (flammable liquids) can be classified it packinggroup III.
	UN "Model Regulation":	

- GB-EN

(Contd. on page 10)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 29 Revision: 26.04.2019 Printing date 24.05.2019

Trade name: DURAPIPE AIRLINE EXTRA BOT 500ML*12 L202

(Contd. of page 9)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eve irritation.

H336 May cause drowsiness or dizziness.

- Department issuing SDS: Bison QESH
- · Contact: Reach coordinator
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

GR-FN